

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and @pd<"20021017" and optical and inspection and system and (photomask and reticle and wafer)	USPAT	OR	OFF	2005/08/22 10:22
		(flow adj system) ((optical adj surface) or (optical component)) impurities	US-PGPUB; USPAT	AND	OFF	2005/08/16 13:01
		(flow adj system) near ((optical adj components) or (optical adj surface)) uv contaminants	US-PGPUB; USPAT	AND	OFF	2005/08/16 12:59
		(flow adj system) near ((optical adj surface) or (optical adj components))	USPAT	AND	OFF	2005/08/16 12:57
		(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and optical and (inspection adj system) and uv and	USPAT	OR	OFF	2005/08/22 10:17
		(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and optical and flaws and uv and impurities	USPAT	OR	OFF	2005/08/22 10:20
S1	7	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and optical and flaws and gas	USPAT	OR	OFF	2005/08/22 09:54
S2	1	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and @pd<"20021017" and optical and flaws and gas	USPAT	OR	OFF	2005/08/12 15:00
S3	176	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and @pd<"20021017" and optical and inspection and system and (photomask reticle wafer)	USPAT	OR	OFF	2005/08/17 10:21
S4	199	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and optical and (inspection adj system)	USPAT	OR	OFF	2005/08/15 10:20
S5	30	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and optical and (inspection adj system) and uv	USPAT	OR	OFF	2005/08/15 10:21
S6	25	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and optical and (inspection adj system) and uv and @ad<"20021017"	USPAT	OR	OFF	2005/08/15 10:30

These searches were performed in the following database:
Examiners Automated Search Tool (EAST) V2.0.1

USPTO Copyright 1999

S7	5	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and optical and (inspection adj system) and uv and @ad<"20021017" not semiconductor	USPAT	OR	OFF	2005/08/15 10:30
S8	30	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and optical and (inspection adj system) and uv	USPAT	OR	OFF	2005/08/15 15:48
S9	3	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and (gas adj purge)	USPAT	OR	OFF	2005/08/15 15:50
S10	3	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and gas and purge and impurities	USPAT	OR	OFF	2005/08/15 15:52
S11	0	clean out impurities with a gas purge	USPAT	ADJ	OFF	2005/08/15 15:52
S12	4628	remove impurities gas purge	USPAT	AND	OFF	2005/08/15 15:52
S13	816	remove impurities gas purge optical	USPAT	AND	OFF	2005/08/15 15:55
S14	0	remove impurities gas purge optical transports adj contaminants	USPAT	AND	OFF	2005/08/15 15:53
S15	0	remove impurities gas purge optical (transports adj contaminants)	USPAT	AND	OFF	2005/08/15 15:53
S16	8	remove impurities gas purge (optical adj surface)	USPAT	AND	OFF	2005/08/15 15:56
S17	3	remove impurities (gas adj stream) (optical adj surface)	USPAT	AND	OFF	2005/08/15 15:58
S18	8	remove impurities (gas adj stream) (optical adj surface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 15:59
S19	0	(gas adj purge adj system adj removes) impurities optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 16:00
S20	0	(gas adj purge adj system adj removes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 16:00

These searches were performed in the following database:

Examiners Automated Search Tool (EAST) V2.0.1

USPTO Copyright 1999

Search History 9/23/2005 10:23:07 AM Page 2

C:\Documents and Settings\dbaker.USPTO\My Documents\10688839\20050812.wsp

DSB

S21	250	(gas adj purge adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 16:01
S22	0	(gas adj purge adj system) (blocks adj contaminants)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 16:13
S23	0	transparent adj cover adj blocks adjoptical adj component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 16:14
S24	0	transparent adj cover adj blocks adj optical adj component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 16:14
S25	48	transparent adj cover optical adj component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 16:15
S26	13	(transparent adj cover) (optical adj component) uv	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 16:21
S27	0	(transparent adj cover adj protects) (optical adj component) uv	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 16:21
S28	0	(transparent adj screen adj protects) (optical adj component) uv	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 16:22

DBB

These searches were performed in the following database:

Examiners Automated Search Tool (EAST) V2.0.1

USPTO Copyright 1999

Search History 9/23/2005 10:23:07 AM Page 3

C:\Documents and Settings\dbaker.USPTO\My Documents\10688839\20050812.wsp

S29	42	transparent cover protects (optical adj component) uv	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 16:22
S30	0	transparent near cover near protects near (optical adj component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 16:26
S31	0	cover near protects near (optical adj component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 16:26
S32	473	optical device transparent adj over	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 16:26
S33	168	(optical adj device) (transparent adj cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 16:27
S34	2	(optical adj device) near (transparent adj cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/15 16:27
S35	7	(inert adj gas) (contaminant\$1 adj remov\$3) (optic\$2 adj component\$1) (gas adj stream\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/16 10:23
S36	29	(optic\$2 component\$1) near cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/16 10:25

These searches were performed in the following database:

Examiners Automated Search Tool (EAST) V2.0.1

USPTO Copyright 1999

Search History 9/23/2005 10:23:07 AM Page 4

C:\Documents and Settings\dbaker.USPTO\My Documents\10688839\20050812.wsp

DBR

S37	23	(optic\$2 component\$1) near cover not golf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/16 10:25
S38	16	(optic\$2 component\$1) near cover not golf @pd<"20021017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/16 10:29
S39	45774	(optic\$2 component\$1) shield\$2 or (physically adj block) @pd<"20021017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/16 10:30
S40	9	(optic\$2 component\$1) shield\$2 (physically adj block) @pd<"20021017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/16 10:31
S41	10715	(optic\$2 component\$1) shield\$2 transparent @pd<"20021017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/16 10:31
S42	1	(optic\$2 component\$1) (contaminant adj shield\$2) transparent @pd<"20021017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/16 10:36
S43	38	(optic\$2 component\$1) (lens adj shield\$2) transparent @pd<"20021017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/16 10:38
S44	1	(optic\$2 component\$1) (lens adj shield\$2) transparent @pd<"20021017" contaminant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/16 10:38

These searches were performed in the following database:

Examiners Automated Search Tool (EAST) V2.0.1

USPTO Copyright 1999

DBB

S45	2	(optic\$2 component\$1) (lens adj shield\$2) transparent @pd<"20021017" impurit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/16 10:46
S46	36228	optical (housing or shield) transparent @pd<"20021017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/16 10:47
S47	357	(optical adj (housing or shield)) transparent @pd<"20021017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/16 10:47
S48	30	(optical adj (housing or shield)) transparent @pd<"20021017" uv	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/16 10:49
S49	21	(optical adj (housing or shield)) transparent @pd<"20021017" uv not blood not tissue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/16 10:49
S50	269	(flow adj system) ((optical adj surface) or (optical component)) impurities	US-PGPUB; USPAT	AND	OFF	2005/08/16 13:02
S51	14	(flow adj system) ((optical adj surface) or (optical component)) (remove adj contaminants)	US-PGPUB; USPAT	AND	OFF	2005/08/16 13:04
S52	749	(flow adj system) ((optical adj surface) or (optical component)) clean\$3	US-PGPUB; USPAT	AND	OFF	2005/08/16 13:05
S53	0	(flow adj system) ((optical adj surface) or (optical component)) near clean\$3	US-PGPUB; USPAT	AND	OFF	2005/08/16 13:05
S54	0	(flow adj system) near clean\$3 near ((optical adj surface) or (optical component))	US-PGPUB; USPAT	AND	OFF	2005/08/16 13:06
S55	4496	cleaning optical components gas stream	US-PGPUB; USPAT	AND	OFF	2005/08/16 13:06
S56	787	cleaning optical components gas stream inspection system	US-PGPUB; USPAT	AND	OFF	2005/08/16 13:06
S57	0	cleaning optical components gas stream inspection system	US-PGPUB; USPAT	AND	OFF	2005/08/16 13:06

These searches were performed in the following database:

Examiners Automated Search Tool (EAST) V2.0.1

USPTO Copyright 1999

DB

S58	260	cleaning optical components gas adj stream inspection system	US-PGPUB; USPAT	AND	OFF	2005/08/16 13:17
S59	1	("5531857").PN.	USPAT; USOCR	OR	OFF	2005/08/16 13:17
S60	1	"5531857".pn. uv	US-PGPUB; USPAT	AND	OFF	2005/08/16 13:17
S61	1	("5216479").PN.	USPAT; USOCR	OR	OFF	2005/08/17 09:10
S62	33	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and @pd<"20021017" and optical and inspection and system and photomask and reticle and wafer	US-PGPUB; USPAT	OR	OFF	2005/08/17 10:23
S63	31	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and @pd<"20021017" and optical and inspection and system and photomask and reticle and wafer and semiconductor	US-PGPUB; USPAT	OR	OFF	2005/08/17 10:23
S64	18	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and @pd<"20021017" and optical and inspection and system and photomask and reticle and wafer and semiconductor and manufacturing	US-PGPUB; USPAT	OR	OFF	2005/08/17 11:00
S65	0	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and @pd<"20021017" and optical and inspection and system and photomask and reticle and wafer and semiconductor and manufacturing and (optic adj membrane)	US-PGPUB; USPAT	OR	OFF	2005/08/17 11:01
S66	0	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and @pd<"20021017" and optical and inspection and system and (optic adj membrane)	US-PGPUB; USPAT	OR	OFF	2005/08/17 11:01
S67	0	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) and @pd<"20021017" and optical and inspection and system and (optic\$2 adj membrane)	US-PGPUB; USPAT	OR	OFF	2005/08/17 11:01
S68	4	@pd<"20021017" and optical and inspection and system and (optic\$2 adj membrane)	US-PGPUB; USPAT	OR	OFF	2005/08/17 11:05
S69	1	@pd<"20021017" (optic\$2 adj membrane) transparent cover contaminant\$3	US-PGPUB; USPAT	AND	OFF	2005/08/17 11:06

These searches were performed in the following database.

Examiners Automated Search Tool (EAST) V2.0.1

USPTO Copyright 1999

DAB

S70	2997	optical inspection system (lens same (cover or protection or shield))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/19 11:34
S71	57	optical inspection system (lens same (cover or protection or shield)) uv detector analyzer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/19 11:39
S72	33	optical inspection system (lens same (cover or protection or shield)) uv detector analyzer @ad<"20021017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/19 11:42
S73	20	optical inspection system (lens same (cover or protection or shield)) uv detector analyzer @pd<"20021017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/19 11:46
S74	10	optical inspection system (lens same (cover or protector or shield)) uv detector analyzer @pd<"20021017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/19 11:51
S75	1795	(lens same (cover or protector or shield)) uv @pd<"20021017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/19 11:52
S76	170	(lens same (cover or protector or shield)) contaminants uv @pd<"20021017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/19 11:53
S77	0	(250/372.ccls. 250/373.ccls. 356/237.4.ccls. 356/237.5.ccls.) (exposed adj optical adj surface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/19 14:53

These searches were performed in the following database:

Examiners Automated Search Tool (EAST) V2.0.1

USPTO Copyright 1999

Search History 9/23/2005 10:23:07 AM Page 8

C:\Documents and Settings\dbaker.USPTO\My Documents\10688839\20050812.wsp

DSB

S78	57	(exposed adj optical adj surface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/19 16:25
S79	13	(exposed adj optical adj surface) frame	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/19 14:54
S80	2	("6,031,598").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 14:55
S81	2	("5275553").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 16:25
S82	1159	250/372.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 09:17
S83	450	250/373.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 09:54
S84	278	356/237.4.ccls.	USPAT	OR	OFF	2005/08/22 10:20
S85	0	356/237.ccls.	USPAT	OR	OFF	2005/08/22 10:20
S86	444	356/237.5.ccls.	USPAT	OR	OFF	2005/08/22 10:21
S87	575	(356/237.4.ccls. 356/237.5.ccls.) and @ad<"20021017"	USPAT	OR	OFF	2005/08/22 10:23
S88	640	(356/237.4.ccls. 356/237.5.ccls.) and @ad<"20021017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 10:59

These searches were performed in the following database:

Examiners Automated Search Tool (EAST) V2.0.1

USPTO Copyright 1999

DSP

S89	1	(356/237.4.ccls. 356/237.5.ccls.) and @ad<"20021017" and (transparent adj cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 11:00
S90	229	(356/237.4.ccls. 356/237.5.ccls.) and @ad<"20021017" and transparent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 11:02
S91	198	(356/237.4.ccls. 356/237.5.ccls.) and @ad<"20021017" and transparent and inspection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 11:02
S92	9	(356/237.4.ccls. 356/237.5.ccls.) and @ad<"20021017" and transparent and inspection and (semi near conductor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 11:09
S93	160	(356/237.4.ccls. 356/237.5.ccls.) and @ad<"20021017" and transparent and inspection and (semiconductor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 11:09
S94	0	("na9206139").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 11:50
S95	0	dust entrapment design for optical path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/22 11:51
S96	633	dust entrapment design	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/22 11:51

These searches were performed in the following database:

Examiners Automated Search Tool (EAST) V2.0.1

USPTO Copyright 1999

DSB

S97	147	dust entrapment design optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/22 11:51
S98	68	dust entrapment design optical path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/22 11:51
S99	30449	hydrocarbons inorganics moisture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/22 14:26
S10 0	6	((("6201250") or ("5812314") or ("6201209")).PN. or ((2003/0132210a1) or (2002/0000519a1) or (2003/0142403a1)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 10:10

These searches were performed in the following database:

Examiners Automated Search Tool (EAST) V2.0.1

USPTO Copyright 1999

RSB